

KYRA

Curtain fabric; The embroidered pattern looks as if it was made up of hand drawn, metallic shimmering lines. Adjacent circles combine to an all over design on a highly sheer leno.



| | |
|---------------------------|---|
| Use: | Transparent curtain fabric |
| Number of colours: | 5 Special colours available from 300 m / 330 yds upwards. |
| Material: | 95% Flameretardant polyester (Trevira CS) 5% Viscose |
| Fabric width: | 290 cm/114 inch/3.17 yard |
| Can be railroaded: | Can be railroaded |
| Weight: | 47 g/m ² |
| Pattern repeat: | Width: 13.5 cm/5 inch/0.15 yard Height: 13.5 cm/5 inch/0.15 yard |

Additional use: 

Care: 

Dry cleaning (length shrinkage): 1.5%



Certificates / tests: Lightfastness certificate

*all testing reports can be downloaded from our website under product details


Special notes: - The uni article Kyra UN is the matching embroidery base



KYRA



Col. 0081



Col. 0082



Col. 0083



Col. 0084



Col. 0085

Note:

Colours may vary. Please ask for our colour samples.

* As long as stock lasts

CARE SYMBOLS FOR TEXTILES

Washing (wash tub)



Normal process 95°



Mild process 95°



Normal process 60°



Mild process 60°



Normal process 40°



Mild process 40°



Very mild process 30°



Hand wash



Do not wash

The numbers in the washing tub specify the maximum temperature in °C which must not be exceeded. The bar underneath the wash tub characterizes a milder cycle with reduced mechanical action.

Ironing (hand iron)



Iron at maximum sole-plate temperature



Iron at a medium sole-plate temperature. Take care when using a steam iron



Iron at a low sole-plate temperature. Take care when using a steam iron



Do not iron

The number of dots indicates the severity as regards to temperature of the handiron.

Chlorine-based bleaching (triangle)



Chlorine-based bleaching allowed



Do not use chlorine-based bleach

Tumble drying (circle in a square)



Drying at a lower temperature setting



Do not tumble dry

The numbers of dots indicates the severity as regards to temperature of the tumble drying treatment.

Dry-cleaning (circle)



Self-service cleaning also allowed (A)



Drycleanable



Drycleanable



Self-service cleaning not allowed (F)



Self-service cleaning not allowed (F2)



Do not dry clean



Mild professional wet-cleaning

The letters within the circle specify the solvents that can be used. The bar under the circle indicates that certain limitations in the drycleaning process are required. These may concern mechanical action and/or drying temperature and/or water addition in the solvent. – No selfservice cleaning allowed.

Gecko



















Cleaning with window wiper (Unger method)














Cleaning by "Spray Extraction" method by machine

SYMBOLS AND PRODUCT INFORMATION

Product information

| | |
|--|----------------------------|
|  | Inherently flame retardant |
|  | Width (cm) |
|  | Can be railroaded |
|  | Has to be railroaded |
|  | Must not be railroaded |
|  | Pattern repeat displaced |
|  | Repeat in warp direction |
|  | Repeat in weft direction |
|  | Weight (g/m ²) |
|  | Yarn dyed |
|  | Piece dyed |
|  | Knitted |
|  | Woven |
|  | Warp print |
|  | Screen print/burnout |
|  | Metalized on one side |

| | |
|---|---|
|  | Free from harmful substances / Oddy |
|  | Antimicrobial (counteracts colonisation and multiplying of micro organisms and odours.) |
|  | light transmission level Tv, n-h |
|  | light transmission level Tv, n-nn |
|  | light transmission level Tv, n-dif |
|  | light reflection level Pv, n-h |
|  | light absorption level Av |
|  | UV transmission level Tuv |
|  | solar transmission level Te, n-h |
|  | solar reflection level Pe, n-h |
|  | solar absorption level Ae |

Material information

| | |
|---------------|---|
| AC | Acetate |
| CA | Hemp |
| CO | Cotton |
| EA | Elasthan |
| GL | Glass fibre |
| LI | Linen |
| MD | Modal |
| ME | Metal |
| PA | Polyamide |
| PC | Acrylic |
| PE | Polyethylene |
| PI | Paper |
| PL | Polyester |
| PLF | Flameretardant polyester |
| PLF CS | Flameretardant polyester (Trevira CS) |
| PN | Polycarbonat |
| PP | Polypropylene |
| PU | Polyurethan |
| RA | Ramie |
| SE | Silk |
| SI | Silicone |
| TR | Different material (wood, paper, feathers etc.) |
| VI | Viscose |
| WM | Wool Mohair |
| WV | Wool |

SYMBOLS AND PRODUCT INFORMATION

Intended purposes



Curtains/Sheers



Roller blinds (colours see separate roller blind collection)



Panels (we recommend to process the panels in warp direction to get optimal hang properties)



Vertical blinds



Roman blinds



Upholstery (for heavy use in contract application).
Martindale > 30'000



Upholstery (for heavy use in domestic application/for normal use in contract application). 20'000 < Martindale < 30'000



Upholstery (for normal use in domestic application/for careful use in contract application). Martindale < 20'000



Loose cover for careful use in domestic application.
Martindale < 5'000



Bedspreads



Table cloth domestic use



Wallcovering



Textile wallpaper (can be paper backed, minimum quantity)



Cushion



Acoustical fabrics



Adhesive Textiles/Gecko/Gecko in the Box



Fabrics with very high lightfastness for indoor and outdoor use



Reverso